

# KJE32 SERIES PUSHBUTTON SWITCH



## SPECIFICATIONS

**Contact Arrangement:** 2NO, NO + NC, 2NO + NC  
**Contact Rating:** 20(20)A 250VAC 1E5 T85/55 TUV(EN61058)  
 20(20)A 127VAC 1E5 T85/55 TUV(EN61058)  
 20(20)A 127VAC 1E5 T85/55 UL(EN61058)  
 25.1A 60VDC 10E4 T85/55 UL(EN61058)  
**Agency Approvals:** TUV EN61058, UL EN61058  
**Contact Resistance:** < 50mOhms  
**Insulation Resistance:** Min 100MOhms  
**Operating/Storage Temperature:** T85/55 / -20°C to 85°C  
**Dielectric Strength:** 1500VAC  
**Electrical Life:** 10,000  
**Travel:** Green Button: 4.7 +/- .3mm; Red Button: 2.3 +/- .3mm  
**Moisture Protection:** IP55  
**Actuation Force:** Green Button: 25N +/- 5N; Red Button: 10N +/- 5N

## FEATURES & BENEFITS

**Heavy Duty Industrial Design**  
**Provides Automatic Safety**  
**Protection Against Power Outages and Restarts**  
**Cap for Dust and Water Protection**

## PART NUMBER CONFIGURATOR

### Series

KJE32

### Actuation Guard

2 - Guarded

### Function

1 - 2NO  
 2 - 2NO w/ Remote Trip  
 3 - NO + NC w/ Remote Trip  
 4 - NO + NC  
 5 - 2NO + NC  
 6 - 2NO + NC w/ Remote Trip

### Coil Voltage and Frequency\*

1 - 100-120V 20A ~50/60 Hz  
 2 - 220-240V 20A ~50/60Hz  
 3 - 60 VDC 25.1A

### Marking Style

0 - None  
 1 - I/O Vert.  
 2 - I/O Horiz  
 3 - O Only

### Bezel Color

1 - Black  
 2 - Yellow

### Actuator Color


1 - Red/Green

### NOTES:

\* Coil voltage has to match closely to the contact rating of the switch else coil won't engage properly.

Specifications subject to change without notice 4/9/2025




## 2NO + NC w/ REMOTE TRIP





# KJE32 SERIES PUSHBUTTON SWITCH - BODY DIMENSIONS




## 2NO + NC








## KJE32 SERIES PUSHBUTTON SWITCH - BODY DIMENSIONS

### NO + NC



# KJE32 SERIES PUSHBUTTON SWITCH - BODY DIMENSIONS




## NO + NC w/REMOTE TRIP





## KJE32 SERIES PUSHBUTTON SWITCH - BODY DIMENSIONS

### 2NO W/REMOTE TRIP



**2NO**

